



US00D819258S

(12) **United States Design Patent**
Jurik et al.

(10) **Patent No.:** **US D819,258 S**

(45) **Date of Patent:** **** May 29, 2018**

(54) **LUMINAIRE OUTPUT LENS ARRAY**

(71) Applicant: **Robe Lighting s.r.o.**, Roznov pod Radhostem (CZ)

(72) Inventors: **Pavel Jurik**, Prostredni Becva (CZ);
Josef Valchar, Prostredni Becva (CZ)

(73) Assignee: **Robe Lighting s.r.o.**, Roznov pod Radhostem (CZ)

(**) Term: **15 Years**

(21) Appl. No.: **29/577,548**

(22) Filed: **Sep. 14, 2016**

Related U.S. Application Data

(63) Continuation-in-part of application No. 15/089,116, filed on Apr. 1, 2016, which is a continuation-in-part of application No. 15/075,191, filed on Mar. 20, 2016.

(51) **LOC (11) Cl.** **26-99**

(52) **U.S. Cl.**
USPC **D26/122**

(58) **Field of Classification Search**
USPC D26/1, 2, 24, 61–65, 118–124
CPC F21V 21/14; F21V 15/01; F21V 14/02;
F21V 21/30; F21V 21/00; F21V 14/00;
F21S 8/00; F21S 8/003; F21S 8/043;
F21Y 2105/001

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D202,727 S * 11/1965 Hahn D26/65
D606,690 S * 12/2009 Orrom D26/61

D629,547 S * 12/2010 Salm D26/63
D667,582 S * 9/2012 Toft F21V 21/30
D26/63
D689,232 S * 9/2013 Velazquez F21V 23/009
D26/63
D712,077 S * 8/2014 Leban D26/28
D728,840 S * 5/2015 Eustace D26/63
D740,989 S * 10/2015 Vasquez D26/63
D774,688 S * 12/2016 Dennis D26/122
D782,718 S * 3/2017 Ko D26/63
D789,581 S * 6/2017 Peard D26/61

* cited by examiner

Primary Examiner — Brian N. Vinson

(74) *Attorney, Agent, or Firm* — Conley Rose, P.C.; Grant Rodolph; Brooks W Taylor

(57) **CLAIM**


The ornamental design for a luminaire output lens array, as shown and described.

DESCRIPTION

FIG. 1 is a front and left side perspective view of a luminaire output lens array showing our new design; FIG. 2 is a front perspective view thereof; and, FIG. 3 is a front and right side perspective view thereof, with the broken line disclosure intended to represent a luminaire in which the array is mounted, but which forms no part of the claimed design.

The broken lines showing the remainder of the luminaire are directed to context or environment. The broken lines, within the claimed design, in embodiment 3, depict the luminaire on which the output lens array is mounted. None of the broken lines form a part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG 1




FIG 2




FIG 3